



EPOXY THINNERS

- FORMULATED SPECIFICALLY FOR THINNING EPOXY PRIMERS, PAINTS AND COATINGS



STORAGE INSTRUCTIONS

Read all instructions before use. Ensure cap is tightly sealed. Keep product upright and secure when transporting. Store product in a cool well-ventilated place away from any flames, electrical equipment, or sparks. Store locked away and out of reach of children. In the event of a fire, use carbon dioxide foam or chemical foam, do not use water. Discard product 18 months after batch date.

SAFETY INSTRUCTIONS



Highly flammable liquid and vapour.



Suspected of damaging the unborn child. May cause drowsiness and dizziness. May cause damage to organs through prolonged or repeated exposure.



Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation.



Toxic to aquatic life.

Read all instructions before use. Ensure cap is tightly sealed when not in use. Use product in well-ventilated areas. If medical advice is needed, have product packaging at hand. Keep away from heat, sparks, open flames, and hot surfaces. Do not smoke or use a cell phone when using this product. Use explosion proof electrical equipment and tools. Take precautionary measures against static discharge. Do not eat or drink when using product. Use suitable personal protection as required. Wear protective gloves. Wear eye protection. Wear a respirator.

IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Seek medical attention if symptoms persist.

IF INHALED Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek immediate Medical attention.

IF ON SKIN Take off immediately all contaminated clothing and wash before reuse. Wash skin with soapy water. Seek medical attention if symptoms persist.

IF SWALLOWED Do not induce vomiting and seek immediate medical attention.

PAINTADETM



Dispose of contents and packaging in accordance with all local, regional, national, and international regulations. National poison centre 0861 555 777.



* Trace elements of methanol may be found below 1%.

* Use paint manufacturer specified solvents in spray applications

Manufactured for **PlushLux**

Website: www.plushlux.co.za